




MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name Dynamic Varsol / Paint Thinner & Cleaner
Synonym(s) Dynamic Varsol - AA191200, AA191300
Dynamic Paint Thinner & Cleaner - AA181200, AA181300
CAS # Mixture
Product Use Solvent cleaner
Manufacturer Dynamic Paint Products Inc.
7040 Financial Drive
Mississauga, ON L5N 7H5 CA
Phone: 1-905-812-9319
Emergency Phone: 1-613-996-6666 (CANUTEC)

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 1
Flammability	2
Physical Hazard	0
Personal Protection	B



2. Hazards Identification

Emergency Overview WARNING
Combustible liquid. Keep away from heat and flame.
Avoid contact with eyes.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes May cause irritation.

Skin May cause irritation.

Inhalation May cause respiratory tract irritation.

Ingestion May cause stomach distress, nausea or vomiting. Aspiration of material into lungs can cause chemical pneumonitis.

Target organs Eyes. Respiratory system.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, oedema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

3. Composition/Information on Ingredients

Ingredient(s)	CAS #	Percent
Solvent naphtha (petroleum), medium aliphatic	64742-88-7	60 - 100

4. First Aid Measures

First aid procedures

Eye contact Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.

Skin contact Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

Ingestion Do not induce vomiting. Never give anything by mouth if victim is unconscious, or is convulsing. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Obtain medical attention.

Notes to physician

Symptoms may be delayed.

General advice

Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Keep out of reach of children.

5. Fire-fighting Measures

Flammable properties

Combustible by WHMIS criteria.

Extinguishing media

Suitable extinguishing media

Dry chemical. Foam. Carbon dioxide. Fog.

Unsuitable extinguishing media

Not available

Protection of firefighters

Specific hazards arising from the chemical

Not available

Protective equipment for firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion products

May include and are not limited to: Oxides of carbon.

Explosion data

Sensitivity to mechanical impact

Not available

Sensitivity to static discharge

Not available

6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

Methods for containment

Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Remove sources of ignition. Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills in original containers for re-use.

7. Handling and Storage

Handling

Use good industrial hygiene practices in handling this material.

Storage

Keep out of reach of children. Store in a closed container away from incompatible materials. Keep away from heat, open flames or other sources of ignition.

8. Exposure Controls / Personal Protection

Exposure limit values

Ingredient(s)

Exposure limit values

Solvent naphtha (petroleum), medium aliphatic

ACGIH-TLV

Not established

Engineering controls

Use only under good ventilation conditions or with respiratory protection.

Personal protective equipment

Eye/Face protection

Wear safety glasses with side shields.

Hand protection

Rubber gloves. Confirm with a reputable supplier first.

Skin and body protection

As required by employer code.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Appearance

Clear.

Colour	Colourless
Form	Liquid
Odour	Hydrocarbon
Odour threshold	Not available
Physical state	Liquid
pH	Not available
Freezing point	-58 °C (-72.40 °F)
Boiling point	> 158 °C (> 316.40 °F)
Pour point	Not available
Flash point	43 °C (109.40 °F) TCC
Evaporation Rate	0.1 (BuAc = 1)
Flammability limits in air, lower, % by volume	1
Flammability Limits in Air, Upper, % by Volume	13.3
Vapour pressure	2.2 mmHg
Vapour density	4.8 (Air = 1)
Specific gravity	0.79 (H2O = 1)
Octanol/water coefficient	Not available
Solubility (H2O)	Insoluble
Auto-ignition temperature	229 °C (444.20 °F)
Viscosity	Water thin
Percent volatile	100 (Wt %)

10. Stability and Reactivity

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Heat, open flames, static discharge, sparks and other ignition sources.
Incompatible materials	Acids. Oxidizers.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon when heated to decomposition.
Possibility of hazardous reactions	Hazardous polymerisation does not occur.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Solvent naphtha (petroleum), medium aliphatic	5.2801 mg/l/4h rat

Component analysis - Oral LD50

Ingredient(s)	LD50
Solvent naphtha (petroleum), medium aliphatic	5000 mg/kg rat

Effects of acute exposure

Eye	May cause irritation.
Skin	May cause irritation.
Inhalation	May cause respiratory tract irritation.
Ingestion	May cause stomach distress, nausea or vomiting. Aspiration of material into lungs can cause chemical pneumonitis.

Sensitisation	Non-hazardous by WHMIS criteria.
Chronic effects	Non-hazardous by WHMIS criteria.
Carcinogenicity	Non-hazardous by WHMIS criteria.
Mutagenicity	Non-hazardous by WHMIS criteria.
Reproductive effects	Non-hazardous by WHMIS criteria.
Teratogenicity	Non-hazardous by WHMIS criteria.
Synergistic Materials	Not available

12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental concerns.

Ecotoxicity - Freshwater Algae Data

Solvent naphtha (petroleum), medium aliphatic 64742-88-7 96 Hr EC50 Pseudokirchneriella subcapitata: 450 mg/L

Ecotoxicity - Freshwater Fish Species Data

Solvent naphtha (petroleum), medium aliphatic 64742-88-7 96 Hr LC50 Pimephales promelas: 800 mg/L [static]

Ecotoxicity - Water Flea Data

Solvent naphtha (petroleum), medium aliphatic 64742-88-7 48 Hr EC50 Daphnia magna: >100 mg/L

Environmental effects Not available

Aquatic toxicity Not available

Persistence and degradability Not available

Bioaccumulation/accumulation Not available

Partition coefficient Not available

Mobility in environmental media Not available

Chemical fate information Not available

Other adverse effects Not available

13. Disposal Considerations

Waste codes Not available

Disposal instructions Review federal, provincial, and local government requirements prior to disposal.

Waste from residues / unused products Not available

Contaminated packaging Not available

14. Transport Information

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

Proper shipping name Not regulated for containers < 450L

15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS classification Class B - Division 3 - Combustible Liquid, Class D - Division 2B

WHMIS status Controlled

WHMIS labeling



Inventory Status

Country(s) or region	Inventory Name	On Inventory (Yes/No)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

08-Jan-2010

Effective Date

28-Feb-2010

Expiry Date

28-Feb-2013

Prepared by

Dell Tech Laboratories Ltd. (519) 858-5021

Other Information

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.