




MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name Mr. Stripper - AA561200, AA561300
CAS # Mixture
Product Use Stripper
Manufacturer Dynamic Paint Products Inc.
7040 Financial Drive
Mississauga, ON L5N 7H5 CA
Phone: 1-905-812-9319
Emergency Phone: 1-613-996-6666 (CANUTEC)

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 1
Flammability	2
Physical Hazard	0
Personal Protection	B



2. Hazards Identification

Emergency Overview WARNING
Combustible liquid. Keep away from heat and flame.
May cause eye and skin irritation.

Potential short term health effects

Routes of exposure Eye, Skin contact, Skin absorption, Inhalation, Ingestion.

Eyes May cause irritation.

Skin May cause irritation.

Inhalation May cause respiratory tract irritation.

Ingestion May cause stomach distress, nausea or vomiting.

Target organs Eyes. Respiratory system. Skin.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, oedema, drying, defatting and cracking of the skin.
Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

3. Composition/Information on Ingredients

Ingredient(s)	CAS #	Percent
Isopropanol	67-63-0	1 - 5

4. First Aid Measures

First aid procedures

Eye contact Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.

Skin contact Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

Ingestion Do not induce vomiting. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.

Notes to physician Symptoms may be delayed.

General advice

Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire-fighting Measures

Flammable properties	Combustible by WHMIS criteria.
Extinguishing media	
Suitable extinguishing media	Dry chemical. Foam. Carbon dioxide.
Unsuitable extinguishing media	Not available
Protection of firefighters	
Specific hazards arising from the chemical	Not available
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Hazardous combustion products	May include and are not limited to: Oxides of carbon.
Explosion data	
Sensitivity to mechanical impact	Not available
Sensitivity to static discharge	Not available

6. Accidental Release Measures

Personal precautions	Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.
Methods for cleaning up	Remove sources of ignition. Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills in original containers for re-use.

7. Handling and Storage

Handling	Use according to package label instructions.
Storage	Keep out of reach of children. Store in a closed container away from incompatible materials. Keep away from heat, open flames or other sources of ignition.

8. Exposure Controls / Personal Protection

Exposure limit values

Ingredient(s)	Exposure limit values
Isopropanol	ACGIH-TLV TWA: 200 ppm STEL: 400 ppm

Engineering controls	General ventilation normally adequate.
Personal protective equipment	
Eye/Face protection	Wear safety glasses with side shields.
Hand protection	Rubber gloves. Confirm with a reputable supplier first.
Skin and body protection	As required by employer code.
Respiratory protection	Not normally required if good ventilation is maintained.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Appearance	Clear.
Colour	Blue
Form	Liquid
Odour	Alcohol
Odour threshold	Not available
Physical state	Liquid
pH	Not available
Freezing point	Not available
Boiling point	100 °C (212.00 °F)
Pour point	Not available
Flash point	51 °C (123.80 °F) TCC
Evaporation Rate	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability Limits in Air, Upper, % by Volume	Not available
Vapour pressure	Not available
Vapour density	Not available
Specific gravity	1 (H ₂ O = 1)
Octanol/water coefficient	Not available
Solubility (H₂O)	Complete
Auto-ignition temperature	Not available
VOC (Weight %)	1 - 5
Viscosity	Water thin

10. Stability and Reactivity

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals. Avoid high temperatures.
Incompatible materials	Acids. Oxidizers.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.
Possibility of hazardous reactions	Hazardous polymerisation does not occur.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Isopropanol	16970 mg/l/4h rat

Component analysis - Oral LD50

Ingredient(s)	LD50
Isopropanol	4396 mg/kg rat

Effects of acute exposure

Eye	May cause irritation.
Skin	May cause irritation.
Inhalation	May cause respiratory tract irritation.
Ingestion	May cause stomach distress, nausea or vomiting.
Sensitisation	Non-hazardous by WHMIS criteria.
Chronic effects	Non-hazardous by WHMIS criteria.

Carcinogenicity	See below.	
ACGIH - Threshold Limit Values - Carcinogens		
Isopropanol	67-63-0	A4 - Not Classifiable as a Human Carcinogen
IARC - Group 3 (Not Classifiable)		
Isopropanol	67-63-0	Monograph 71 [1999], Supplement 7 [1987], Monograph 15 [1977]
Mutagenicity	Non-hazardous by WHMIS criteria.	
Reproductive effects	Non-hazardous by WHMIS criteria.	
Teratogenicity	Non-hazardous by WHMIS criteria.	
Synergistic Materials	Not available	

12. Ecological Information

Ecotoxicity	Components of this product have been identified as having potential environmental concerns.	
Ecotoxicity - Freshwater Algae Data		
Isopropanol	67-63-0	96 Hr EC50 Scenedesmus subspicatus: >1000 mg/L; 72 Hr EC50 Scenedesmus subspicatus: >1000 mg/L
Ecotoxicity - Freshwater Fish Species Data		
Isopropanol	67-63-0	96 Hr LC50 Pimephales promelas: 9640 mg/L [flow-through]; 96 Hr LC50 Pimephales promelas: 11130 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: >1400000 µg/L
Ecotoxicity - Microtox Data		
Isopropanol	67-63-0	5 min EC50 Photobacterium phosphoreum: 35390 mg/L
Ecotoxicity - Water Flea Data		
Isopropanol	67-63-0	48 Hr EC50 Daphnia magna: 13299 mg/L
Environmental effects	Not available	
Aquatic toxicity	Not available	
Persistence and degradability	Not available	
Bioaccumulation/accumulation	Not available	
Partition coefficient	Not available	
Mobility in environmental media	Not available	
Chemical fate information	Not available	
Other adverse effects	Not available	

13. Disposal Considerations

Waste codes	Not available
Disposal instructions	Review federal, provincial, and local government requirements prior to disposal.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

Proper shipping name Not regulated for containers < 450L

15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Canada - WHMIS - Ingredient Disclosure List

Isopropanol 67-63-0 1 %

WHMIS classification

Class B - Division 3 - Combustible Liquid, Class D - Division 2B

WHMIS status

Controlled

WHMIS labeling**Inventory Status**

Country(s) or region	Inventory Name	On Inventory (Yes/No)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

10-Aug-2009

Effective Date

15-Aug-2009

Expiry Date

15-Aug-2012

Prepared by

Dell Tech Laboratories Ltd. (519) 858-5021

Other Information

For an updated MSDS, please contact the supplier/matrix manufacturer listed on the first page of the document.